

Index

- absolute value, 59, 116, 381
 - derivative of, 240
- acceleration, 310
 - due to gravity, 310
- addition law, 193, 199
- addition of points, 68
- addition rule for area, 87
- addition theorem for area, 372
- additivity of area, 85
- almost disjoint sets, 88
- Analyst* 223
- and (logical operator), 51
- antiderivative, 269, 328
 - theorem 270
- antidifferentiation
 - formulas for, 331
 - Maple commands for, 330
- Apollonius (c 260-170 B.C.), 220
- approachable point, 224
- approximation, 120
 - to n decimals, 121
 - strong approximation theorem, 122
- arc length, 191
- arccos, 302
- arccot, 304
- Archimedean property 380
- Archimedes (287–212 B.C.), 4, 8, 9, 27, 29, 30, 35, 190, 200, 202, 209
- arcsin, 303
- arctan, 303
- area
 - as a number, 14
 - assumptions about, 84, 85
 - between graphs, 184
 - area function, 84, 89
 - as an integral, 183
 - of box, 14
 - of circle, 181
 - of circular sector, 349
 - of ellipse, 181
 - of parabola, 19, 20
 - of parabolic segment 30
 - of snowflake, 49
 - of triangle, 99
 - under power function, 154
- Aristotle(384-322 B.C.), 14, 223, 235
- Āryabhaṭa (circa 510), 199
- associative law
 - for numbers, 375
 - for points, 69
- assumptions about area, 84, 85
- average velocity, 235
- Babylonians, 8, 24, 27, 35, 78
- Banach, Stefan(1892–1945), 86
- Berkeley, George (1685-1753), 223
- Bernoulli, Daniel(1700-1782), 304
- Bernoulli,Jacob (1654-1705) 26, 127, 149
- between, 288

- bijjective, 292
- Bolzano, Bernard(1781-1848), 236, 287
- bound for a function, 84
- bounded
 - function, 84
 - set, 84
- box, 13
 - circumscribed, 22
- Brouncker, William(1620-1684), 108
- cancellation laws 377
- Cantor, 13
- Cartesian product, 57
- Cauuchy, Augustin(1789-1857), 65, 236
- Cavalieri,Bonaventura (1598-1647), 39
- chain rule, 250
- change of scale for integrals, 180
- chord of an arc, 199
- circle
 - area of, 181, 385
 - circumference of, 385
 - defined, 80
 - unit, 80
- circular sector (area of), 349, 385
- circumscribed
 - box, 22
 - hexagon for snowflake, 49
- clockwise, 191
- closed interval, 17
- codomain, 58
- commutative law
 - for numbers, 375
 - for points, 69
- composition of functions, 248, 259
- composition problem, 249
- compound interest, 148
- computer calculation of integrals, 113
- congruence problem, 86
- conic section, 220
- conservation of energy, 312
- constant sequence, 127
- constructivists, 54
- continuity, 256
 - on a set 256
- contrapositive 54
- convergent sequence 122, 125
- convex downward (spills water), 314
- convex upward (holds water), 313
- cosh 305
- cosine
 - defined, 191
 - integral of 206, 208
- cot, 247
- counterclockwise, 191
- critical point, 263
 - critical point theorem I, 264
 - critical point theorem II, 265
- critical set, 263
- csc, 247
- decreasing function, 90
- derivative 5, 6, 230
 - fractional, 308
 - higher order, 306
 - of order 0, 306
 - of absolute value, 240
 - of arccos, 302
 - of arcsin, 303
 - of arctan, 303
 - of arccot, 304
 - of a^x , 301
 - of cos, 238
 - of cosh, 305
 - of exponential, 300
 - of logarithm, 239
 - of powers, 237

- of reciprocal, 246
- of sin, 238
- of sinh, 305
- of trigonometric functions, 247
- of x^r 301
- second 306
- derived function 5
- Descartes, Rene (1596-1660), 224
- difference of sets, 16
- differential, 5, 242
- differentiation, 5
 - logarithmic, 252
- Dirichlet, P. G. Lejenue(1805-1859), 176
- discontinuous function, 258
- discreteness of \mathbf{Z} , 380
- disjoint sets, 85
 - almost disjoint sets, 88
- distance
 - between numbers, 117
 - between points, 79
- distributive law
 - for numbers, 375
 - for points, 69
- Diver, Colin (1944-??), 399
- divergent sequence, 125
- domain, 58
- double angle formulas, 195
- dummy
 - index, 15
 - variable 63, 167, 225
- e , 108
 - numerical calculation of, 147
- ellipse, area of, 181
- Emperor Yü(c. 21st century B.C.), 78
- entertainments
 - Archimedes sine integral, 211
 - Area of a triangle, 99
 - Calculate $\ln(2)$, 106
 - Composition problem, 249
 - $\lim\{n^{\frac{1}{n}}\}$, 148
 - Calculation of sines, 200
 - Discontinuous derivative problem, 318
 - Falling bodies problem, 224
 - Bernoulli's problem, 27
 - Calculate e , 108
 - Calculation of π , 8
 - Congruence problem, 86
 - Pine Tree proble, 34
 - Square root problem, 9
 - Snowflake priblem, 49
 - end points of interval, 17
 - equal functions 60
 - equality 383
 - in \mathbf{Q} , 381
 - of sets, 13
 - of propositions, 54
 - equation for line, 387
 - equivalent propositions, 52
 - error function, 330
 - etymology
 - of corollary, 88
 - of sine, 199
 - Euclid (fl. c. 300 B.C.), 14, 35, 220, 235
 - Euler, Leonard (1707-1783), 62, 64, 127
 - `evalf`, Maple command, 390
 - even function, 270
 - exponential function, 293, 297
 - derivative of 300
 - exponents, laws of, 383
 - exterme point, 261
 - local, 264
 - extreme value property, 263

- fluxion, 5, 242
- Fourier, Joseph (1768–1830), 161, 309
- fractional derivatives, 308
- function, 6, 58
 - bounded, 84
 - Euler’s definition of, 62
 - increasing, 90
- functions
 - equality of, 60
 - operations on, 166
- fundamental theorem of calculus, 6, 320, 324
 - Leibniz statement of, 325
- Galileo (1564-1642) 223, 224
- geometric series, 141
 - finite, 33
- Gōugū, 79
- graphs, 61
 - area between, 184
- gravity, acceleration due to, 310
- half angle formulas, 195
- Hausdorff, Felix (1868–1942), 86
- height of box, 14
- Heine, Heinrich Eduard (1821-1881), 236
- Heron (between 250 BC and 150 AD), 284
- higher order derivatives, 306
- horizontal, 387
- hyperbolic functions, 305
- Ibn-al-Haitham(circa 1000 A.D.), 27
- image of f , 61
- image of x under f , 58
- implies, 53
- increasing function, 90
- indefinite integral, 213
- induction, 65
- inequalities, 380
- inequality rule
 - for limits of functions, 229
 - for sequences, 130
 - for integrals, 168
- inflection point, 316
- injective, 290
- inner snowflake, 40
- instantaneous velocity, 235
- integrable function, 160
- integral, 160
 - and area, 183
 - change of scale for, 180
 - Ei, 330
 - indefinite, 213
 - of cos, 206, 208
 - integral of sin, 208
 - computer computation, 113
 - Si, 330
- integration, 3
 - by parts, 335
 - by substitution, 340
 - of rational functions, 353
- interior point, 224
- intermediate value property, 287, 288
- intersection, 14, 48
- interval, 17
- inverse,
 - additive, 376
 - multiplicative, 376
- inverse function, 293
 - inverse function theorem, 298
- Katyayana (c. 600 BC or 500BC??), 79
- kinetic energy, 312
- Koch, Helga von(1870-1924) 49, 259

- Lagrange, Joseph Louis (1736–1813) 5, 242
- Leibniz, Gottfried(1646–1716) 5, 6, 62, 160, 167, 221, 241 284, 308, 325
 notation for sums, 65
 proof of product rule, 245
- length of arc 191
- l'Hôpital,Guillaume François (1661-1701), 124
- limit, 225
 of a sequence, 125
 infinite, 273
 one-sided, 274
- line 70, 387
 equation for, 387
- Liouville, Joseph (1809–1882), 309
- $\ln(2)$ calculation, 113
- $\ln(a)$, 2
- localization rule, 240
- local maximum, 264
- local minimum, 264
- logarithm 104, 106, 159
 derivative of, 239
- logarithmic differentiation 252
- Maple 112, 329, 352
 approximate integration, 113
 calculation of e , 147
 integration, 216
`mypi`, 205
 routine, 205
 short list of commands, 389
`sinsq`, 205
 symbolic antidifferentiation, 330
 average, 113
`leftsum`, 113
`rightsum`, 113
- maximum, 58
 local, 264
 of a function, 261
- mean value theorem, 268
 for integrals, 322
- Mercator, Nicolaus(1620-1687), 111
- mesh of partition, 89
- minimum, 58
 local, 264
 of a function, 261
- monotonic function, 90
 piecewise, 173
- monotonicity
 of area, 88, 373
 of powers, 382
- names for rational numbers, 380
- Napier, John (1550-1632), 106
- negative number, 378
- Newton, Isaac(1642–1727) 5, 6, 236, 242
- Newton's law, 6
- nice function, 320
- non-integrable function, 174
- normalization property of area, 85
- not (logical operator), 51
- nowhere differentiable function, 259
- n th power theorem, 140
- n th root rule for sequences, 132
- null sequence rule, 128
- number as area, 14
- objects in a set, 12
- odd function, 270
- open interval, 17
- operations on functions, 166
- optical illusion, 190
- optimization problems, 277

- ordered pair, 57
- order laws, 378
- or (logical operator), 51
- outer snowflake, 40
- pair, ordered, 57
- parabola, area of 19, 29
- parabolic segment, area of, 30
- parallel lines, 388
- parallelogram, 70
 - area of, 384
- partition, 89
 - regular, 89
- partition-sample sequence, 166
- Pascal, Blaise (1623-1662), 24
- π (pi), 2, 8, 181, 113
 - ancient values of, 9
 - computer calculation of, 113
- piecewise monotonic function, 173
 - non-piecewise monotonic function, 261
- point
 - in plane, 12, 68
 - in a set, 12
 - of inflection, 316
 - addition of points, 68
- positive number, 378
- potential energy, 312
- power function, 297
- powers, 382
 - monotonicity of, 382
 - n th power theorem, 140
- power-sums, (table of), 27
- prerequisites, 7, 375
- product, Cartesian, 57
- product rule
 - for derivatives, 244
 - for limits, 229
 - for limits of functions, 229
 - for sequences, 129
- proofs without words, 24
- propositions, 51
 - equal, 54
 - equivalent, 52
 - sets defined by, 56
- proposition form, 52
- Ptolemy, Claudius (fl 127-151), 199
- Pythagoras, (f. 530–510 B.C.), 78
- Pythagoreans, 24
- Pythagorean theorem, 386
- quadratic formula, 80
- quotient rule
 - for derivatives, 246
 - for limits, 229
 - for limits of functions, 229
 - for sequences, 130
- radian, 385
- Ramanujan, Srinivasa (1887–1920), 10
- rate of change, 282
- rational functions, 353
- rational numbers, 12
 - names for, 380
- real number, 6
- reciprocal (derivative of), 246
- reflection 30, 73
- reflection law for sin and cos, 195
- reflection theorem, 294
- regular partition, 89
- Rhind Papyrus, 8
- Riemann, Bernhard (1826–1866) 160
- Riemann sum, 152
- right triangle, 95
- rituals for integration 341, 342, 346, 350, 351

- Rolle, Michel, (1652-1719), 267
 - Rolle's theorem, 267
- rotation, 73
- ruler function, 176
- Saint-Vincent, Grégoire de(1584-1667), 143
- sample, 152
- Sarasa, Alfons Anton de(1618-1667), 106
- schizophrenia, 54
- sector, area of circular 349, 385
- sec, 247
- segment, 70, 76
- sequences, 59
 - constant, 127
 - constant sequence rule, 128
 - convergent, 122, 125
 - divergent, 125
 - inequality rule for, 130
 - limit of, 125
 - n th root rule, 132
 - null sequence rule, 128
 - product rule for, 129
 - quotient rule for, 130
 - sum rule for, 128
 - translate of, 131
 - translation rule for, 131
- set, 11
 - bounded, 84
 - defined by a proposition, 56
- sign laws, 378
- sine
 - defined, 191
 - etymology of word, 199
 - integral of, 208
- sine integral (Si), 330
- sinh, 305
- slope, 386
- snowflake, 48, 259
 - area of 49
- spike function 171, 172, 226
- square root problem, 9
- squeezing rule
 - for limits of functions, 230
 - for sequences, 130
- stretch 179
- Stringham, Irving, 106
- subadditivity of area, 87
- subinterval of a partition, 89
- subset, 13
- substitution in integrals, 350
- substitution, trigonometric, 345
- summation formula 23, 24, 25, 26, 27
- summation notation, 63
- sum rule
 - for derivatives, 242
 - for limits, 229
 - for limits of functions, 229
 - for sequences, 128
- sum theorem
 - for derivatives, 332
 - for indefinite integrals, 214
 - for integrals, 166
- surjective, 292
- symmetric set, 270
- symmetry invariance, 85
- symmetry of square, 74
- tangent, 219, 221, 231
- tan, 247
- transitivity of $<$, 379
- translate
 - of a sequence, 131
 - of a set, 75
- translation invariance, 85

- translation rule for sequences, 131
- trapezoid, area of, 384
- triangle
 - area of, 99, 384
 - right, 95
- triangle inequality, 117
- trichotomy law, 378
- trick, 135
- trigonometric functions, 191
 - derivative of, 238, 247
- trigonometric identities, 192, 193, 195, 199
- trigonometric substitution, 345

- union of sets 14, 48
- uniqueness of inverses, 294
- uniqueness theorem for convergence, 125
- unit circle, 80

- velocity 5, 219, 223
 - average, 235
 - instantaneous, 235
- vertical, 387
- Voltaire, François Marie Arouet de (1694-1778), i

- Weierstrass, Karl (1815-1897), 120, 259
- width of box, 14
- work, 4

- zero-area set, 88, 183
- zeroth order derivative, 306
- Zǔ Chōngzhī (429-500 A.D.), 9