

Index

- absolute convergence, 221
- absolute summability, 221
- absolute value, 48
 - of complex number, 106
 - product formula for, 49
 - quotient formula for, 51
- addition,
 - addition (field operation), 29
 - addition in \mathbf{Z}_n , 27
 - addition laws for sine and cosine, 243
 - addition of inequalities, 45
- Alembert, Jean (1717–1783), 224
- alternating series, 216
- alternating series test, 216
- ambiguous,
 - a^{b^c} , 227
 - sequence notation, 92
- and, logical connective, 8
- Archimedean property, 97, 98, 105
- Archimedes, 105
- argument(of a complex number), 247
- Aristotle (384–322 B.C.), 31, 69
- Arnold, Vladimir (1937–??), 124
 - cats, 124
- Ars Magna*, 90
- Artin, Emil (1898–1962) 54
- associative operation, 21, 29
- associativity of \odot , 84, 267
- associativity of \oplus , 267
- axiom, completeness, 97
- axioms, 2
 - for a field, 29
 - for ordered field, 43
- axis,
 - imaginary, 109
 - real, 109
- Bernoulli, Jacob (1654–1705), 32, 224, 259
- between, 179
- Bhaskara (born 1114–1185), 63
- binary
 - operation, 19
 - search sequence, 94
- Bolzano, Bernhard, (1781–1848), 181
- Boole, George (1815–1864), 29
- bound,
 - for a function, 174
 - for a set, 173
 - for sequence, 139
 - lower, 154
 - upper, 154
- bounded,
 - function, 173
 - sequence, 139, 143
 - set, 173
- boundedness theorem, 178
- bug, 26
- Buhler, Joe (1950–??), 4

- calculator operations, 26
- cancellation law, 23, 33
- Cardano, Girolamo (1501–1576), 54, 90
- Cartesian product, 16
- cat,
 - Arnold, 124
 - discontinuous image of, 172
 - inverse of, 121
 - square of, 120
 - exponential of, 249
- Cauchy, Augustin (1789–1857), 82, 91, 181
- chain rule, 185
- circle. 110
 - of convergence, 232
 - unit, 111
- Clenias, 68
- closed interval, 93
- codomain of function, 16
- commensurable, 69
- commutative operation, 24, 29
- commutativity of addition in field, 35
- comparison test for series, 206
 - limit comparison test, 211
- comparison theorem for null sequences, 131
- completeness, 97, 105
 - completeness axiom, 97
- complex,
 - conjugate, 89
 - function, 161
 - numbers, 106
- complexification, 83
- composition, 159
 - of continuous functions, 166
 - of functions, 165
- conjugate, complex, 89, 91
- constant sequence, 127, 128
- continuity 105
 - of exp, (in theorem 12.27), 238
 - of roots, 164
 - of ln, 240
- continuous, 161
 - at a point, 161
 - on a set, 161
- convergence, 129
 - of search sequence, 94
 - absolute, 221
 - circle of, 232
 - disc of, 232
 - of geometric sequence, 145
 - of geometric series, 145
 - radius of, 232
- convergent sequence, 127, 143
 - limit of, 138
 - product theorem, 137
 - quotient theorem, 141
 - reciprocal theorem, 140
 - sum theorem, 137
 - uniqueness theorem, 138
- copy (of F in \mathbf{C}_F) 87
- cosine, 235, 242, 250
 - complex, 222
- critical point, 187
 - theorem, 188
- D'Alembert, Jean (1717–1783), 224
- De Moivre, Abraham (1667–1754), 124
 - De Moivre's formula, 113
- decimal notation, 146
- decimals, 1,
- decomposition theorem, 136

- decreasing,
 - function, 101
 - sequence, 153
- definition by recursion, 71
- derivative, 182
- Descartes, Rene, 1596–1650, 82
- Dickson, Leonard Eugene, (1874–1954), 31
- difference,
 - of sets, 15
 - symmetric, 21
- differential equation (12.23), 236, 237
- differentiation of power series, 234, 253
- digits, 37
- direction in \mathbf{C} , 114, 115
- disc,
 - of convergence, 232
 - closed, 111
 - open, 110
 - unit, 111
- distance (in ordered field), 51
- distributive law 29, 30
 - in a field, 39
 - in \mathbf{Z}_n , 268
- divergence,
 - of search sequence, 94
 - of sequence, 127
 - test for, 152
- division in a field, 39
- domain of function, 16
- double inverse theorem, 22, 34
- draughts, 68
- dull sequence, 129
- e , 238, 260
- empty set, 6
- endpoints of an interval, 52
- entertainments, 3
- Epicureans, 110
- equality,
 - of functions, 16
 - of objects, 12
 - of ordered pairs, 15
 - of rules, 16
 - of sets, 7
 - reflexive property of, 12
 - symmetric property of, 12
 - transitive property of, 12
 - substitution property for, 12
- equivalence,
 - of sets of propositions, 43
 - of propositions, 11
- Euclid (365–300BC??), 64, 69, 105, 110
- Euler, Leonard (1707–1783), 91, 124, 208, 260
 - summation notation, 82
- even,
 - integer, 66
 - number, 63
- exercises, 3
- exponential function, 238
- exponents, rational, 104, 105
- extreme value theorem, 177
- factorial function, 71, 82
- factorization, 79
 - of $a^p - r^p$, 78
- feature, 26
- field,
 - axioms for, 29
 - orderable, 43
 - real, 97

- functions, 16, 70
 - addition and multiplication of, 100
 - complex, 161
 - increasing and decreasing, 101
- Gauss, Carl (1777-1855), 253
- geometric sequence, 125, 203
 - convergence of, 145
- geometric series, 77, 126, 203
 - convergence of, 145
- graph, 100
- Gregory, John (1638–1675), 225, 258
- Göttingen, 224
- Hamilton, William R. (1805–1865), 29, 91
- harmonic series, 203, 224
- Huntington, Edward (1874–1952), 43, 54
- hyperbolic functions, 244
- identity element for binary operation, 20
- image of a function, 119
- imaginary axis, 109
- imaginary part of complex number, 107
- implication, 9
- incommensurables, 68
- increasing,
 - function, 101
 - sequence, 153
- induction theorem, 57
 - generalized, 62
- inductive, 55
- inequalities, addition of, 45, 47
- inequality theorem, 149
- inequality, triangle, 50
- infinite series, 202
- integers, 70
 - even, 66
 - odd, 66
 - in a field, 64
 - informal definition, 6
- interior, 190
- interior point, 190,
- intermediate value theorem, 179, 180
- intersection, 15
- interval, 52
 - closed or open, 93
- inverse,
 - for binary operation, 21
 - of cat, 121
- invertible element for binary operation, 22
- Jones, William, (1675–1749), 260
- Koch, Helge von (1870–1924), 158
- Kramp, Christian, (1760–1826), 82
- Lagrange, Joseph, (1736–1813), 224
- Landau, Edmund (1877–1938), 224
- laws,
 - of exponents (fractional), 104
 - of signs, 46
 - Laws of Thought*, 29
 - The Laws*, 68
- least element principle, 60
- Leibniz, Gottfried (1646–1716), 224, 225, 258
- length of complex number, 114

- limit,
 - comparison test, 211
 - of a function, 167
 - of a sequence, 138
 - point, 166
 - uniqueness of, 168
- line segment, 192
- logarithm, 240
- lower bound,
 - for a sequence, 154
 - for a set, 178
- Madhava of Sangamagramma (c. 1340-1425), 201, 225, 258
- Mahavira (ninth century), 63
- Maple, 25, 82, 91, 245, 260
- maps to, 125
- Mathematica, 82, 91, 245, 260
- maximizing set, 176
- max function, 80, 81
- maximum, 176
 - critical point theorem, 188
- mean value theorem, 189
- Mercator, Nicolaus(1620–1687), 225
- midpoint, 94
- minimum, 176
- monotonic sequence, 153
- multiplication
 - (field operation), 29
 - of inequalities, 47
 - table, 27
 - in \mathbf{Z}_n , 27
- Mycielski, Jan, 157
- natural numbers, 56, 70
 - informal definition, 6
- negative elements in ordered field, 44
- Newton, Isaac (1643–1727), 105, 201, 225
- not, negation, 8
- null sequences, 129
 - comparison theorem for, 131
 - root theorem for, 132
 - sum theorem for, 134
 - product theorem for, 136
- null-times-bounded theorem, 139
- number,
 - complex, 106
 - even, 63
 - natural, 56, 70
 - odd, 63
 - rational, 70
 - real, 97
- odd,
 - integer, 66
 - number, 63
- open interval, 93
- opposite sign, 46
- or, logical connective, 8
- orderable field, 43
- ordered field,
 - axioms for, 43
 - completeness of, 97
- ordered,
 - pair, 15
 - triple, 15
- Oresme, Nicole (1323–1382), 224
- pair, ordered, 15
- paradox, 17
- parentheses, 31
- Pascal, Blaise (1623-1662), 64
- path, 192
- Peano, Giuseppe (1858–1932), 64

- periodicity,
 - of sin and cos, 12.59 h) and i), 246
 - of exp, 245
- Philias of Cos, 18
- pi (π), 244, 260
- Plato (427?–347B.C.), *The Laws*, 68
- polar decomposition, 114
- polygon representation for a complex sequence, 125
- polygon, snowflake, 148
- positive elements in ordered field, 43
- power,
 - function, 72, 82
 - integer, 74
 - rule for differentiation, 187
 - series, 226
- precedence, 31
- precision function, 130, 157
- Priora Analytica*, 69
- Proclus, 110
- product,
 - formula for absolute value, 49
 - of functions, 100
 - rule for differentiation, 187
 - theorem,
 - for continuous functions, 163
 - for convergent sequences, 137
 - for limits of functions, 172
 - for null sequences, 136
- propositions, 7
 - equivalence of, 11
- proposition form, 14
- Pythagorean theorem, 109
- quadratic formula, 42
- quotient,
 - formula for absolute value, 51
 - of functions, 100
 - rule for differentiation, 187
 - theorem,
 - for continuous functions, 163
 - for convergent sequences, 141
- radius of convergence, 232
- ratio,
 - for a geometric sequence, 125
 - for geometric series, 126
 - test, 212, 224
- rational,
 - exponents, 105
 - numbers, 70
 - in a field, 65
 - informally defined, 6
 - in sense of Euclid, 69
- real axis, 109
- real field, 97
- real part of complex number, 107
- reciprocal rule for differentiation, 186
- reciprocal theorem for convergent sequences, 140
- recursion, 71
- Reed College, 4
- reflexivity of equality, 12
- restriction theorem, 192
- reverse triangle inequality, 139
- Rolle, Michel (1672–1719), 201
- Rolle's theorem, 189
- root,
 - of complex number, 113, 249
 - of real number (theorem 5.49), 103
 - theorem for null sequences, 132
 - continuity of roots, 164

- rule, recursive, 70
- Russell, Bertrand (1872–1970), 17
- Russell’s paradox, 17
- Sangamagramma, Madhava (c. 1340–1425), 201
- Schreier, Otto (1901–1929), 54
- search sequence, 94
 - convergence of, 94
- segment, 192
- sequence, 92, 125
 - bounded, 139, 143
 - constant, 127, 128
 - convergent, 127, 129, 143
 - decreasing, 153
 - divergent, 127
 - dull, 129
 - increasing, 153
 - lower bound for, 154
 - null, 129
 - search, 94
 - summable, 203
 - upper bound for, 154
- series, 202
 - alternating, 216
 - operator, 202
 - power series, 226
 - sum of, 203
- Servois, François-Joseph (1767–1847), 29
- set, 5
 - empty set, 6
- set difference, 15
- sine 235, 242, 250
 - complex, 222
- Skolem functions, 157
- snowflake, 148, 158
- square,
 - $(x \cdot x)$, 42
 - of cat, 120
- square root, 47
 - of complex number, 116
- subset, 7
- substitution property of equality, 12
- subtraction in a field, 39
- sum
 - of functions, 100
 - of a series, 203
 - theorem,
 - for continuous functions, 163
 - for convergent sequences, 137
 - for differentiable functions, 185
 - for limits of functions, 172
 - for null sequences, 134
 - for series, 204
- summable,
 - sequence, 203
 - absolutely, 221
- summation, 76
 - function, 82
- symmetric difference, 21
- symmetry of equality, 12
- transitivity,
 - of $<$, 45
 - of equality, 12
 - of implication, 9
- translate of a sequence, 149
- translation theorem, 149
- triangle inequality, 50, 110
 - in \mathbf{C} , 108
 - reverse, 139
- trichotomy, 43
- trigonometric functions 222, 235, 242, 250

- triple, ordered, 15
- union, 15
- uniqueness,
 - of \mathbf{R} , 97
 - of identities, 20
 - of inverses, 22
 - of limits, 168
 - theorem for convergent sequences,
138
- unit circle, 111
- unit disc, 111
- upper bound,
 - for a sequence, 154
 - for a set, 178
- Waring, Edward, (1734–1798), 224
- Weber, Heinrich Martin (1842–1913),
43
- Weierstrass, Karl (1815–1897), 54,
181
- zero-one law, 30