

Putnam Practice Problems

October 11, 2009

1. Let $a_1, a_2, \dots, a_n$ be distinct positive integers and let M be a set of $n - 1$ positive integers not containing $s = a_1 + a_2 + \dots + a_n$. A grasshopper is to jump along the real axis, starting at the point 0 and making n jumps to the right with lengths $a_1, a_2, \dots, a_n$ in some order. Prove that the order can be chosen in such a way that the grasshopper never lands on any point in M . (International Mathematics Olympiad - Bremen 2009)
2. Consider the power series expansion

$$\frac{1}{1 - 2x - x^2} = \sum_{n=0}^{\infty} a_n x^n.$$

Prove that, for each integer $n \geq 0$, there is an integer m such that $a_n^2 + a_{n+1}^2 = a_m$. (A3 on Putnam 1999)

3. Let N be the positive integer with 1998 decimal digits, all of them 1; that is,

$$N = 1111 \cdots 11.$$

Find the thousandth digit after the decimal point of $\sqrt{N}$. (B5 on Putnam 1998)

4. Find all differentiable functions $f : (0, \infty) \rightarrow (0, \infty)$ for which there is a positive real number a such that

$$f' \left(\frac{a}{x} \right) = \frac{x}{f(x)}$$

for all $x > 0$. (B3 on Putnam 2005)